


DELL 27 4K USB-C HUB MONITOR

P2723QE

Pure productivity



THE WORLD'S # 1
MONITOR COMPANY*

Pure productivity

See more details and expand your productivity with a 4K hub monitor like no other.



See more details, get more done

Experience your more details and clarity in you work. This 27" monitors with 3840 x 2160 4K resolution enables you to multitask efficiently by displaying multiple applications.

Stay connected in any workspace

Be it hotdesking in the office or at home, you can streamline your workspace with this USB-C Hub monitor that wakes and powers your laptop with up to 90W, connects you to the Ethernet and a host of other devices, and is thoughtfully designed with a cable management system that reduces workspace clutter.

Uncompromised color and comfort

Optimize eye comfort with ComfortView Plus, a built-in low blue light screen that reduces harmful blue light emissions without sacrificing color. Easy-to-use with full adjustability for better comfort all day.

See and accomplish more

See more details and enhance work efficiency with 4K (3840 x 2160) resolution on a 27" monitor.

4K 3840 x 2160

Productivity hub

Stay powered and connected with up to 90W power delivery via USB-C and extensive connectivity options like RJ45 for Ethernet connectivity — all in a clutter-free setup.

FHD 2560 x 1440

FHD 1920 x 1080

Color consistency comes standard

See consistent, vibrant colors across a wide viewing angle enabled by In-Plane Switching (IPS) technology. With 99% sRGB coverage, you get precise colors right out of the box.

Enhanced manageability

MAC Address pass-through¹, PXE Boot and Wake-on-LAN are conveniently built in.

Optimize eye comfort with built-in ComfortView Plus

that reduces harmful blue light emissions without sacrificing color performance.

Manage multiple tasks

Enhance efficiency by 21%² by adding a second monitor via Dell Express Daisy Chaining through DisplayPort connectivity.

Adjust to your comfort

Tilt, swivel, pivot, and height adjustable (150mm max)

Easy-to-use joystick control

• • • •

To navigate through the On-Screen Display (OSD) menu

Extensive connectivity

Easily connect to a variety of devices with extensive connectivity ports, including display port, HDMI, VGA and quick access SuperSpeed 5Gbps USB ports.

Functional design

Features 3-sided ultrathin bezel design, a small base and improved cable management for a clutter free desk at your home or at your office.

Environmental standards


ENERGY STAR®
TCO Certified Edge,
EPEAT® Gold registered

Jumpstart productivity

Power up your Dell PC through your monitor even with the laptop lid is closed with Dell Power Sync, available on select Dell PCs.**

Connectivity that drives productivity

This USB-C Hub monitor offers extensive connectivity options including USB-C (up to 90W power delivery), RJ45 for wired Ethernet access, SuperSpeed USB for fast data transfers, and more.



P SERIES MONITOR

P2723QE

Designed for you

This sleek monitor features a small base and cable management design that hides cables in the monitor riser, for a clutter-free desk space at your office or home office.



Easy-to-use joystick control

Navigate the on-screen menu and adjust settings with the easy-to-use joystick control.




Designed with purpose

The small base and elegant cable management system hide cords within the monitor riser.

Adjust to your comfort

Experience made-for-you comfort by tilting, pivoting, swiveling, and adjusting the height of your monitor (150mm max).



Enhanced productivity

Dell Display Manager enhances everyday productivity through comprehensive management tools, giving you optimal front of screen experience, efficient display management, and easy, effortless multitasking.

Productive at every level

Easy Arrange allows you to easily tile multiple applications across one or more screens with 38 pre-set window partitions and the ability to personalize up to five windows, giving you improved multitasking abilities.

The key to convenience

Shortcut keys can save you even more time, letting you easily configure your display management settings so you can get to work faster.

Seamless transitions

The auto-restore feature remembers where you left off, so applications will go back to where you left them, even after you've unplugged.

More ways to manage

Asset management reports allow IT managers to quickly capture and track monitor information as well as configure multiple monitors at once through a single setup.

Learn more about

Dell Display Manager.





RECOMMENDED ACCESSORIES



Dell Single Monitor Arm | MSA20

Enjoy a virtually tool-free assembly and easy installation with this Dell Single Monitor Arm – MSA20. Dell Quick Release lets you snap on the Dell P Series monitor onto the arm simply without tools.



Dell Pro Wireless Headset | WL5022

Enjoy wireless freedom away from your PC with this Teams certified headset that offers convenient call controls. Switch seamlessly across your PC, tablet or smartphone and enjoy superior audio clarity on the go.



Dell Premier Multi-Device Wireless Keyboard and Mouse | KM7321W

Multitask seamlessly across three devices with this premium full-sized keyboard and sculpted mouse combo with programmable shortcuts and 36-month battery life.⁵

Sustainability on Dell Monitors









Environmental standards

This monitor is made of 85% post-consumer recyclable plastic in the design⁶ and meets the latest environmental standards such as ENERGY STAR®, and TCO Certified Edge, and is EPEAT® Gold⁷ registered.

Eco-conscious packaging

Designed with the environment in mind, Dell commercial monitors come in 100% recyclable cardboard packaging.8

Energy conservation

Save energy when your monitor is not in use with PowerNap9, a feature that dims or puts your monitor to sleep when it's not in use.

P SERIES MONITOR P2723QE

DELL 27 4K USB-C HUB MONITOR - P2723QE TECHNICAL SPECIFICATION

DIAGONAL VIEWING SIZE

596.74 mm x 335.66 mm PRESET DISPLAY AREA (H X V)

(23.49 in. x 13.21 in.)

MAXIMUM PRESET **RESOLUTION**

3840 x 2160 at 60 Hz

ASPECT RATIO 16:9

PIXEL PITCH 0.1554 mm x 0.1554 mm

PIXEL PER INCH (PPI)

BRIGHTNESS 350 cd/m² (typical)

COLOR SUPPORT Color gamut: sRGB 99% (typical)

Color depth: 1.07 Billion colors

CONTRAST RATIO 1000:1 (typical)

1789/1789 VIEWING ANGLE

RESPONSE TIME 5 ms (Fast mode), 8 ms (Normal mode)

PANEL TYPE In-Plane Switching Technology

DISPLAY SCREEN COATING Anti-Glare

BACKLIGHT TECHNOLOGY White LED edgelight system

COMFORTVIEW PLUS WITH FLICKER-FREE SCREEN

DELL DISPLAY MANAGER COMPATIBILITY

REMOTE ASSET MANAGEMENT Yes, via Dell Command I Monitor

GSA/TAA Yes

OPTIONAL SOUNDBAR SB521A or SB522A

CONNECTORS

· 1 x DP 1.4 (in) port (HDCP 1.4, HDCP 2.3) · 1 x HDMI 2.0 port (HDCP 1.4, HDCP 2.3) · 1 x USB-C (USB 3.2 Gen 1 (5Gbps) upstream port, Power Delivery

4 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) downstream port

· 1 x RJ45

HDCP SUPPORT HDMI HDCP 1.4. DP HDCP 1.4

ADJUSTABILITY Height adjustable (150 mm)

Tilt (-5° to 21°) Swivel (-45° to 45°) Pivot (-90° to 90°)

SECURITY Security lock slot (cable lock sold separately)

FLAT PANEL VESA (100 mm)

MOUNT INTERFACE

100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/2.5 A

AC INPUT VOLTAGE/ FREQUENCY/CURRENT

0.2 W (Off Mode)10

POWER CONSUMPTION (OPERATIONAL)

0.2 W (Standby Mode)¹⁰ 26 W (On Mode)¹⁰ 169 W (Max)1

POWER CONSUMPTION

STAND BY/SLEEP

Less than 0.3W

HEIGHT WITH STAND 535.20 mm (21.07 in.)

WIDTH WITH STAND 611.60 mm (24.08 in.)

DEPTH WITH STAND 185.00 mm (7.28 in.)

WEIGHT (PANEL ONLY - FOR VESA MOUNT/ NO CABLES)

5.05 kg (11.13 lb)

WEIGHT (MONITOR AND

7.21 kg (15.90 lb)

CABLES WITH STAND)

WEIGHT (WITH PACKAGING) 9.68 kg (21.33 lb)

P SERIES MONITOR **P2723QE**

DELL 27 4K USB-C HUB MONITOR - P2723QE TECHNICAL SPECIFICATION

STANDARD SERVICE PLAN 3 Years Advanced Exchange Service and Limited Hardware Warranty

OPTIONAL SERVICE PLAN Dell ProSupport

ENVIRONMENTAL COMPLIANCE

- · ENERGY STAR® certified monitor
- · EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
- RoHS-compliant
 TCO Certified & TCO Certified Edge
- BFR/PVC free monitor (excluding external cables)
- Meets NFPA 99 leakage current requirements.
 Arsenic-free glass and Mercury-free for the panel only

- WHAT'S INCLUDED

 Monitor with stand
 1 x Power cable
 1 x DisplayPort to DisplayPort cable (1.8 m)
 - -1 x Super speed USB 10Gbps (USB 3.2 Gen2) Type-C to Type-C upstream cable (C-C cable) (1 m)

 - (C-A cable) (TIII) 1 x Super speed USB 5Gbps (USB 3.2 Gen1) Type-C to Type-A upstream cable (C-A cable) (1.8 m) 1 x Cable tie
 - Quick Setup Guide
 - $\boldsymbol{\cdot}$ Safety and regulatory information

PORTS AND SLOTS



- 1 Security lock slot***
- 2 Power connector
- 3 HDMI port
- 4 DisplayPort
- 5 USB-C Upstream port
- 6 SuperSpeed USB 5Gbps (USB 3.2 Gen 1) Type-A Downstream port (4)
- 7 RJ45 port
- 8 Stand lock

Steadfast reliability

As the No. 1 monitor company worldwide*, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.



Premium Panel Exchange

Dell Premium Panel Exchange¹² allows a free monitor replacement during the Limited Hardware Warranty¹³ period, even if only one bright pixel is found.

Advanced Exchange Service

Your monitor comes with a 3-year Advanced Exchange Service¹⁴ so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.¹³

ProSupport

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option.¹⁵

D&LLTechnologies

- * Dell monitors are #1 Worldwide for 8 consecutive years (2013, Q2 to 2021, Q3)! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3, 2021.
- ** Dell Power Sync on your Dell USB-C Monitor is a feature that launches your system, even when your laptop lid is closed. It is currently available on select Dell PCs only. Please make sure to check your Dell PC to ensure compatibility of this feature.
- *** Based on Kensington Security Slot™
- 1 MAC Address pass-through functionality is tested to work with most Dell PC systems. Functionality on non-Dell systems may vary
- 2 Based on Principled Technologies Report commissioned by Dell, "Improve productivity with the new Dell P Series monitors in a dual-display configuration", November 2018, compared to an older model in single-display configuration. Actual results will vary. Full report: https://www.principledtechnologies.com/Dell/P2419H_monitor_productivity_1118.pdf
- 3 Dell adheres to standard USB-C specifications and protocol. Functionality with non-Dell USB-C systems may vary.
- 4 The power sync feature on this Dell USB-C Monitor enables start up and wake-on-demand on compatible Dell PCs. Please check your Dell PC to ensure support of this feature.
- 5 Based on Dell analysis of battery life usage model calculations, Nov. 2020. Results vary depending on use, operating conditions and other factors.
- 6 By weight of the total weight of plastic parts in product. Excludes printed circuit boards, labels, cables, connectors, electronic components, optical components, ESD components, EMI components adhesives, and coatings.
- 7 EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
- 8 The outer box/corrugate cushion packaging and recycled fibers in Dell commercial monitor packaging (excluding D-series) are made from corrugate and virgin cardboard materials. Excludes foam cushioning and plastic bags.
- 9 Enabled by Dell Display Manager
- 10 As defined in EU 2019/2021 and EU 2019/2013.
- 11 Max brightness and contrast setting with maximum power loading on all USB
- 12 Applicable to Dell UltraSharp, P Series, and C Series desktop monitors.
- 13 For copy of Ltd Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see https://www.dell.com/warranty.
- 14 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See dell.com/servicecontracts/global.
- 15 Availability varies, please visit www.dell.com/support for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2022 Dell Inc. or its subsidiaries. All rights reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum.

