

> PRINT > COPY > SCAN > FAX

ECOSYS M5521cdn ECOSYS M5521cdw ECOSYS M5526cdn ECOSYS M5526cdw

COLOR MULTIFUNCTION PRODUCT FOR A4 FORMAT





- Speedy A4 copy/print speed up to 26/26 cpm Mono/Color\*.
- Fast scanning speed up to 30/23 ipm Mono/Color.
- Convenient with a built-in one-path duplex scanning Document Processor\*.
- User friendly 4.3 inch color touch screen panel\*.
- Standard 512MB RAM to perform heavy duty tasks without additional memory.
- Support Apple AirPrint and Mopria certified.
- High print quality with 1,200 x 1,200 dpi printing resolution.

\*For ECOSYS M5526cdn / M5526cdw



# **Born to be Extraordinary**


# KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

### Easy of Use

These A4 color multifunctionals are specifically designed for small and medium-sized work groups that deliver outstanding print quality of 1,200dpi. All common functionalities can be quickly and easily accessed to optimize document workflow. What's more, top reliability, fast output time and support optional business applications can improve overall productivity.



<sup>\*</sup>For ECOSYS M5526cdn / M5526cdw

<sup>\*\*</sup> For ECOSYS M5521cdn / M5521cdw

### **Superior Feature**

#### COPY/PRINT

- Convenient Multi-Purpose Tray First Mode: Allow printing via Multi-Purpose Tray whenever paper is loaded there.
- Vivid Color quality by printing at 1,200dpi\*\*\*.
- · Direct print from USB memory.
- Save cost by using less paper.
   Print: Allow 25-in-1
   Copy: Allow 4-in-1
- · 2-sided copy/print as standard.







#### SCAN

- Support mixed size A4/Letter and Legal original in Copy/Scan.
- Skip Blank Page Function: Automatically skip blank page in copy and scan.
- Fast scanning up to 30/23 ipm in A4 Mono/Color.
- Store scanned data easily by 'Scan to FTP', 'Scan to SMB', 'Scan to Email", "Scan to USB", "Scan to DFS".

#### **FAX**

- A destination and other transmission settings can be registered as a favor to prevent sending to wrong recipient.
- · Capable of sending and receiving fax via PC with network fax function.
- · Fax broadcast up to 100 different destinations.



# **High Reliability and Security**

- Authentication management among departments via IC Card.
- · Sophisticated network security (SSL, IPsec) as standard and prevent improper access.
- Private Print enables secure print jobs with preset password request at the device (Require additional memory).



### **Save Environment**

Low energy consumption

Energy Star Ver.2.0 certified.

Power consumption is low by using the new low melting toner.

Usage of white LED illumination for lower light emissions and power consumption.

Free of Hazardous material

Fulfilled the requirements of RoHS (Restriction of Hazardous Substances) & usage of Lead-Free Parts.

- Reduce wastage by Long Life Consumables and Drums.
- Reduce noise by built-in Quiet Mode\*\*\*.



### **Workflow Optimization with Business Applications**

By combining the innovative Business Applications, these color MFPs can manage document in an effective approach.

KYOCERA MyPanel

Remote control designated KYOCERA printing devices by smartphone or tablet.



KYOCERA Mobile Print

Conveniently print files, web pages and images using smartphone or tablet.






Control sensitive documents and reduce printing costs.



AirPrint

Print documents, photographs, images, etc. directly from iOS devices/Mac.



		Main Spe		
1odel		ECOSYS M5521cdn ECOSYS M5521cdw	ECOSYS M5526cdn ECOSYS M5526cdw	
Main Function		Copy. Prin	t, Scan, Fax	
Writing Method		25016 FF 1017 CS	uctor Laser	
PU PU			MHz	
Print Speed (A4)	(Mono/Color)	21/21 ppm	26/26 ppm	
Scanning Speed (A4) 300dpi Simplex		30/23 ipm 30/23 ipm		
(Mono/Color) Duplex			24/16 ipm	
Memory		The state of the s	3 (Max. 1,536MB)	
Warm Up Time		32 seconds	29 seconds	
Paper Capacity Standard			e) + 50 sheets (MPT)	
	Maximum	550 sheets (Main Unit + 250 sheets PF-5110 + MPT)		
Paper Size	Cassette	Min. A6R – Max. A4 (Legal)		
	MPT	Min. A6R – Max. A4 (Legal)		
Paper Weight	Cassette	60 - 163 g/m <sup>2</sup>		
MPT		60 - 220 g/m²		
Duplex Printing		Paper size: A5R - A4/Legal; Paper weight: 60 - 120 g/m <sup>2</sup>		
Output Capacity		The state of the s	ets face-down	
Control Panel		5 lines LCD	4.3 inch Color Touch LCD Panel	
Document Processor		Standard (Max. 50 sheets ADF Type)	Standard (Max. 50 sheets One-path duplex scanning Type)	
	D x H) (Main Unit)		417mm x 429mm x 495mm	
Veight (Main U		Approx. 26kg		
Power Consump		345W	375W	
Standard	Stand-by Mode	700700	IW	
configuration)	The second secon		W	
Italia	Energy Saver			
loise ISO7779/ ISO92	96) Stood by Mode	48dB(A); Quiet mode: 44dB(A)	49dB(A); Quiet mode: 44dB(A)	
	Stand-by Mode	The same of the sa	IB(A)	
		Copy Function	ons (Standard)	
Copy Size		Max. A4 (Leg	al) – Min. A6R	
Resolution		600 x	600 dpi	
First Copy Time		10/12 seconds	8/10 seconds	
Zoom Ratio	Manual	25% - 400%	(1% per Step)	
	Pre-defined	1/2	RSE	
Multiple Copy	·	1-	999	
Resolution		600 x 600 dpi; 1,200 x 1,200 dpi		
PDL		PRESCRIBE, PCL6 (PCL-XL, PCL 5c), KPDL3 (Postscript 3 compatible), XPS, PDF Direct Print Ver. 1.7		
First Print Out Time (Mono/Color)		11/12.5 seconds	9.5/10.5 seconds	
Supported Protocol		TCP/IP, NetBEUI, FTP, Port 9100, LPR, IPP, WSD Print, Apple Bonjour, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS, FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS		
Operating System Supported		Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows XP, Windows Vista, Windows 7, Windows 8.1; Apple Macintosh OS X 10.5 or later; Linux		
Interface				
interface		USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interface (USB Host)x1, 802.11 b/g/n/Wireless LAN/WiFi Direct (ECOSYS M5521cdw/ ECOSYS M5526cdw only)		
USB Memory Printing		Standard		
USB Memory Printing Format		TIFF, JPEG, PDF, XPS		
Mobile Printing			AirPrint, Mopria, KYOCERA Mobile Print	
most Finding		Scan Functions (Standard)		
n-1 n-1		Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200x400dpi, 200x100dpi		
		C004=1 4004=1 2004=1 200	dni 200v400dni 200v100dni	
Resolution				
Resolution File Format	do.	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres	sion/High-compression PDF), PDF/A, Encrypted PDF	
Resolution File Format Image Type Mod		TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Pho	sion/High-compression PDF), PDF/A, Encrypted PDF oto, Light Text/Fine Line	
Resolution File Format Mage Type Moo Transmission Tyl	pe	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Pho Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSI	sion/High-compression PDF), PDF/A, Encrypted PDF oto, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA	
Resolution File Format Mage Type Moo Transmission Tyl	pe	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Pho Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSI 100 addresses (Common address	sion/High-compression PDF), PDF/A, Encrypted PDF oto, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA list), 20 groups (Group address list)	
Resolution File Format mage Type Moo Transmission Typ Address Storage	pe	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Pho Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSI 100 addresses (Common address Fax Function	sion/High-compression PDF), PDF/A, Encrypted PDF oto, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA list), 20 groups (Group address list) as (Standard)	
Resolution File Format File Fo	pe	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Pho Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSI 100 addresses (Common address Fax Function Max. A4 (Lep	sion/High-compression PDF), PDF/A, Encrypted PDF bto, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA list), 20 groups (Group address list) as (Standard) gal) – Min. A6	
Resolution rile Format mage Type Mod ransmission Typ Address Storage Original Size Coding Method	pe	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Pho Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSI 100 addresses (Common address Fax Function Max. A4 (Lep MMR, MF	sion/High-compression PDF), PDF/A, Encrypted PDF bto, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA list), 20 groups (Group address list) as (Standard) gal) – Min. A6 8, MH, JBIG	
Resolution File Format File File Format Fi	pe	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Pho Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSI 100 addresses (Common address Fax Function Max. A4 (Leg MMR, MF	sion/High-compression PDF), PDF/A, Encrypted PDF bto, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA list), 20 groups (Group address list)  as (Standard) gal) – Min. A6 ß, MH, JBIG k kpbs	
Resolution File Format mage Type Moo Transmission Tyl Address Storage Original Size Coding Method Transmission Sp Memory	pe	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Photo Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSI 100 addresses (Common address Fax Function Max. A4 (Leg MMR, MF 33.6	sion/High-compression PDF), PDF/A, Encrypted PDF  to, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA  list), 20 groups (Group address list)  s (Standard) gail) – Min. A6 R, MH, JBIG kgbs  kgbs	
Resolution File Format File Fo	pe	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Photo Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSI 100 addresses (Common address Fax Function Max. A4 (Let MMR, MF 33.6 3.5	sion/High-compression PDF), PDF/A, Encrypted PDF  bto, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA  list), 20 groups (Group address list)  standard) gal) – Min. AG 8, MH, JBIG Likpbs Likp	
Resolution File Format File Fo	pe	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Photo Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSI 100 addresses (Common address Fax Function Max. A4 (Let MMR, MF 33.6 3.5 22 numbers	sion/High-compression PDF), PDF/A, Encrypted PDF  bto, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA  list), 20 groups (Group address list)  standard) gal) – Min. AG R, MH, JBIG Lkpbs  sMB  100 numbers  les	
Resolution File Format mage Type Moc Fransmission Typ Address Storage Original Size Coding Method Fransmission Sp Memory One Touch Dial Network FAX	pe	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Photo Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSI 100 addresses (Common address Fax Function Max. A4 (Let MMR, MF 33.6 3.5 22 numbers	sion/High-compression PDF), PDF/A, Encrypted PDF  bto, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA  list), 20 groups (Group address list)  standard) gal) – Min. A6 R, MH, JBIG Lkpbs  MB  100 numbers	
Color Selection Resolution File Format Image Type Mod Transmission Tyl Address Storage Original Size Coding Method Transmission Sp Memory One Touch Dial Network FAX Toner Kit (Page Yield in ac ISO/IEC 19798)	eed	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Photo Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSI 100 addresses (Common address Fax Function Max. A4 (Let MMR, MF 33.6 3.5 22 numbers	sion/High-compression PDF), PDF/A, Encrypted PDF  bto, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA  list), 20 groups (Group address list)  standard) gal) – Min. AG R, MH, JBIG Lkpbs  sMB  100 numbers  les	
Resolution File Format File Fo	eed cordance with	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Photo	sion/High-compression PDF), PDF/A, Encrypted PDF bto, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA llist), 20 groups (Group address list)  s (Standard) gal) – Min. AG 8, MH, JBIG Lkpbs SMB  100 numbers es es 8. Options  TK-5264K : Black (4,000 pages) TK-5264C/M/Y : Cyan/Magenta/Yellow (3,000 pages)	
Resolution File Format image Type Moc Transmission Tyl Address Storage Original Size Coding Method Transmission Sp Memory One Touch Dial Network FAX Toner Kit (Page Yield in ac	eed cordance with	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compres Text, Photo, Text + Photo	sion/High-compression PDF), PDF/A, Encrypted PDF  bto, Light Text/Fine Line L; Scan to DFS; Scan to USB; TWAIN Scan; WSD Scan, WIA  list), 20 groups (Group address list)  s (Standard) gal) – Min. A6 R, MH, JBIG Robbs  kpbs  iMB  100 numbers  es  & Options  TK-5264K : Black (4,000 pages)	









**Document Solutions** 

KYOCERA Document Solutions India Pvt. Ltd.
Second Floor, Centrum Plaza, Sector- 53,
Golf Course Road,
Gurgaon - 122 002 (Haryana), India
Tel: +91 124 46710001
Email: contactus@did.kyocera.com
http://www.kyoceradocumentsolutions.co.in

\*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

KYOCERA Business Partner