EU DECLARATION OF CONFORMITY



Manufacturer Name: Zebra Technologies Corporation

Manufacturer Address: 3 Overlook Point, Lincolnshire, IL 60069

This Declaration of Conformity is issued under the sole ZT411, ZT421 Printer

responsibility of the manufacturer.

The undersigned hereby declares that the above referenced product is in Conformity with European Directives 2014/53/EU, 2011/65/EU (as amended by Directive (EU) 2015/863) and FCC/ISED Rules & Regulations applying relevant Harmonized Standards and other technical specifications:

RF Spectrum Efficiency	Standards
Article 3.2	EN 300 328 V2.2.2
	EN 301 893 V2.1.1
	EN 302 208 V3.2.0
EMC	Standards
Article 3.1b	EN 301 489-1 V2.2.3, EN 301 489-17 V3.2.4
	EN 301 489-1 V2.2.3, Draft EN 301 489-3 V2.1.2
	EN 55032:2015/A11:2020 (Class B)
	EN 55035:2017
	EN 55035:2017/A11:2020
	EN 61000-3-2:2014
	EN 61000-3-3:2013
	47 CFR Part 15, Subpart B, Class B
	ICES-003 Issue 7, Class B
Health & Safety	•
Health & Safety Article 3.1a	ICES-003 Issue 7, Class B
	ICES-003 Issue 7, Class B Standards
	ICES-003 Issue 7, Class B Standards EN 62368-1:2014/AC:2015
	ICES-003 Issue 7, Class B Standards EN 62368-1:2014/AC:2015 EN 62368-1:2014/A11:2017
	ICES-003 Issue 7, Class B Standards EN 62368-1:2014/AC:2015 EN 62368-1:2014/A11:2017 IEC 62368-1 (ed.2)
	ICES-003 Issue 7, Class B Standards EN 62368-1:2014/AC:2015 EN 62368-1:2014/A11:2017 IEC 62368-1 (ed.2) EN 62311:2008

EU DECLARATION OF CONFORMITY



in Annex II has been followed.
US company representative for FCC Supplier's Declaration of Conformity (47 CFR Part 2.1071 to 2.1077) is Jay Cadiz and can be reached at jcadiz@zebra.com.

(Authorized Corporate Signature) Jay Cadiz

Signed on behalf of Zebra Technologies Corporation

Manager, Compliance Engineering

Place: Lincolnshire

Date of Affixing the CE Mark: 1 January 2018

Rev: E

Date: 6 December 2021

EU DECLARATION OF CONFORMITY



Appendix A

EU Operating frequencies and maximum power levels

Technology	Operating Frequencies/Bands	Maximum Transmit power level
WLAN	2400 MHz – 2483.5 MHz	20dBm
	5150 MHz – 5250 MHz	23dBm
	5250 MHz – 5350 MHz	23dBm
	5470 MHz – 5725 MHz	23dBm
Bluetooth	2400 MHz – 2483.5 MHz	10dBm
RFID	865 MHz - 868MHz	33dBm
	916.1 MHz -918.9 MHz	36dBm



For RLAN Devices:

The use of 5GHz RLAN throughout the EEA has the following restriction:

• 5.15 - 5.35 GHz is restricted to indoor use only.

Accessories:

Description Model
None None